



G. Fox

Think Clean, Think Safe, Think Fox

Pencil Park, Croxley Close,
Heriotdale Ext 15,
Germiston.
P.O Box 751243
Gardenview, 2047

Phone: (011) 417 9300
Sales Fax: (011) 417 9400
Debtors Fax: (011) 622 6307
Management Fax: (011) 417 9500
Email: promotions@gfox.co.za

www.gfox.co.za

PRODUCT DATA SHEET

Product Code: GLRU023

Product Description: Glove "**VIPER**" –
Sizes – M, L, XL

Specification:

- 15gg Lime color Nylon/Spandex seamless liner
- Black Proprietary **Ripple Technology** Palm Coating
- Sizes – Medium, Large, X-large
- Mechanical data: EN 388: 4131
- Dexterity level 3 in accordance with EN420:2003
- **SANITIZED®** treatment
- **REACH** compliant

Features:

- Seamless Snug fit provides excellent flexibility and dexterity for precision handling.
- Perfectly contoured hand shape
- Open back, provides ventilation, reduces hand fatigue and improves comfort and performance
- Black Proprietary **Ripple Technology** Palm Coating provides extreme durability due to superior abrasion resistance
- No coating strike through on inside of liner.
- Coating repels water and oil and provides best in class grip in dry, wet and oil applications.
- Coating is solvent free and non-marking to prevent product contamination.
- Coating provides a vibration absorption feature.
- Sanitized® treatment function to minimize microbially caused odor development and hygienic freshness
- May be laundered or dry-cleaned at 42°C

Recommended Use:

- Evolution Gloves are designed to endure the most rugged and physically challenging work environments in dry, wet, oil and greasy conditions
- All applications which require a high level of abrasion and grip
- Ideal for Mining, Farming, Plumbing, Recycling, Bricklaying, Builders.
- Ideal for Carpentry, Assembly, Agriculture, Warehousing, Mechanical
- Ideal for Machining, tubes, bearings, gearboxes
- Ideal for heavy duty road work.
- Ideal for dry food handling.

Precautions:

- Not to be used with chemicals
- Not to be used for heat resistant applications
- Not suitable for cut protection





The Sanitized® (triclosan free) hygiene function is integrated into this glove. The Sanitized® (triclosan free) provides freshness, comfort and protection. Sanitized® (triclosan free) acts like a built-in deodorant that keeps clothing fresh for longer time and leaves you feeling safe and protected



All components and ingredients used in the manufacturing and construction of Ninja® products have been assessed and comply with the REACH European Legislation, EC #1907/2006 (Registration, Evaluation, Authorisation and Restriction of Chemicals) – another commitment to ensuring all our products are “skin friendly”.

USER Information

CLEANING / MAINTENANCE

Both new and used gloves should be thoroughly inspected before being worn to ensure no damage is present. Gloves should not be left in contaminated condition if reuse is intended in which case gloves should be cleaned as far as possible. If appropriate, decontamination may take place under lukewarm water using laundry soap and detergent.

Gloves are suitable for dry cleaning as well as laundering. We recommend that no bleaching or oxidizing ingredients or any fabric softeners be used. Recommend washing temperature is between 40°C and 60°C with mild detergents. Drying temperature should not exceed 60°C.

Note: The performance characteristics of worn and laundered gloves may differ from the results shown below.

OBSOLESCENCE

When stored as recommended will not suffer change in mechanical properties for up to three years from the date of manufacture. Service life cannot be specified and depends on the application and it is the responsibility of user to ascertain suitability of the glove for its intended use.

STORAGE

Gloves should be ideally stored in dry and cool condition in original package, sheltered from direct sunlight.

GENERAL

None of the materials or processes used in the manufacture of these products is known to be harmful to the wearer.

PLEASE NOTE

The results of the physical tests should help in glove selection, however it must be understood that actual conditions of use cannot be simulated and it is the responsibility of the end user and not the manufacturer to determine glove suitability for the intended use.